



Blast Pots GS600-1 by GritSablare


TECHNICAL DETAILS

Section 1. Product Features

Blast Pots GS600-1 by GritSablare series are available in multiple configurations and specifications to suit varying market requirements worldwide. The GS600-1 is a full-size, automatic blast pot, suitable for large-scale blasting operations.

- Designed and manufactured in accordance with international standard and requirements.
- Third party pressure vessel test certificates available on request.
- UniFlo combination type remote control valve.
- AirFlo air-bleed type pneumatic deadman handle.
- Fina II type abrasive control valve for precise metering and easy maintenance.
- Moisture trap, exhaust muffler and main air isolation valve standard.
- Wide, pneumatic wheels for increased manoeuvrability and stability.
- 6ft³ abrasive capacity, 125 or 150 psi pressure rating.
- 1-1/4" fittings.


Section 2. Technical Specs











Component Highlights

- | | |
|---|--|
| <ol style="list-style-type: none"> 1. Fast Fill Canonical Top 2. Large Stem Type Pop Up Valve & Ring 3. Transportation / Crane Lifting Lugs 4. Main Tank Inspection Door 5. Colour coded 66 ft (20 m) Twin Line Remote Control Hose 6. AirFlo Deadman Remote Control Handle 7. All Terrain Wide Profile Wheels | <ol style="list-style-type: none"> 8. Fina II Abrasive Metering Valve 9. Exhaust Air Muffler 10. Full Flow Pusher Line Choke Valve 11. 1-1/4" (32 mm) High Flow Moisture Separator 12. 1-1/4" (32 mm) Air Inlet Ball Valve 13. UniFlo Combination Remote Control Valve 14. Freight Efficient Removable Carry Handle 15. Pressure Gauge & Safety Relief Valve |
|---|--|

Section 3. Part list




No.	Product Code		Name	Qty.
1	BAC-RC-PB-0085		AirFlo Pneumatic Control Handle	1
2	BAC-RC-PB-0012		66 ft (20 m) Twinline Hose Assembly	1
3	BAC-PF-PB-0031		6 mm (1/4") Pressure Gauge - Rear Entry	1
4	BAC-PF-0274-00		1/2" BSP - 125 PSI Pressure Relief Valve	1
5	YAC-RC-0487-00		Exhaust Muffler	1
6	BAC-PF-PB-0006		32 mm (1-1/4") Ball Valve	2
7	BAC-AF-0120-01		32 mm (1-1/4") Filter Separator	1
8	BAC-RC-0527-00		UniFlo Valve with Fittings - 90 Deg	1
9	BAC-BF-PB-0013		Pop Up Valve Sealing Ring	1
10	BAC-BF-PB-0012		Pop Up Valve - Stem Type	1
11	BAC-VA-0277-00		Fina II Valve 1-1/4"M x 1-1/4"M	1
12	BAC-HC-0080-00 sau BAC-HC-PB-0009		Threaded Blast Coupling	1

Section 4. Common Applications


- On site industrial and commercial blasting.
- Blast and painting contractor yard work.
- Blast room applications with or without abrasive recovery systems.
- In situ blasting in shipyards and slipways.



H Lines



Car parts



Brick



Agriculture



Fences



Marble



Glass

Section 5. Assemblies

Stock Code	Description	Weight	Abrasive Capacity	Piping Size
BEP-PS-0055-00	GS600-1/AU/NZ UniFlo Fina II AirFlo	200 kg	200 litri	32 mm (1-1/4")
BEP-PS-0056-00	GS600-1/MY UniFlo Fina II AirFlo	200 kg	200 litri	32 mm (1-1/4")
BEP-PS-0057-00	GS600-1/SG UniFlo Fina II AirFlo	200 kg	200 litri	32 mm (1-1/4")
BEP-PS-0076-00	GS600-1/CE UniFlo Fina II AirFlo	200 kg	200 litri	32 mm (1-1/4")

Notation:

AU: Approved by Worksafe, Australia.

CE: Approved by Conform to European Community Pressure Equipment Directive 97/23/EC.

MY: Approved by Department of Occupational Safety and Health, Malaysia.

NZ: Approved by Department of Labour, New Zealand.

SG: Approved by Ministry of Manpower, Singapore.

Section 6. Product Identification

Product name: Blast Pots GS600-1 by GritSablare

Distributor:

GritSablare

Headquarter: 10 Eliza Zamfirescu Leonida Street, Bucharest

Storage & Logistic: Constanța Seaport, Gate 2, SORENA Platform, Constanța, Romania

Phone: (+4) 0722.279.481

Email: comercialgritsablare@gmail.com

Website: www.gritsablare.ro