

Tel: +4 0722 279 481 +4 0725 984 004 Email: comercialgritsablare@gmail.com Web: www.gritsablare.ro

Sustainable Solutions for Blasting & Cleaning

Dedicated Line for Professional Blasting Equipment



Pressure Fan: Mobile - HL by GritSablare

PRODUCT SPECIFICATIONS

Section I. Company Identification

Product Name	Pressure Fan: HL by GritSablare	
Distributor	GritSablare	
	Headquarter:	10 Eliza Zamfirescu Leonida Street, Bucharest
	Storage & Logistic:	Constanța Seaport, Gate 2, SORENA Platform, Constanța, Romania
	Phone:	(+4) 0722.279.481
	Email:	comercialgritsablare@gmail.com
	Website:	www.gritsablare.ro

Section II. Advantages

HL Standard Model Variants: 18 / 40 / 60 / 100 / 140 / 200 litre capacity

- Mobile design
- 5 m special sandblasting, hose 25 x 7 mm
- 1 pc. special rapid hose coupling
- 1 pc. nozzle holder with 1¼" thread
- 1 pc. continuous blasting nozzle optionally in 4, 5, 6 or 8 mm Ø
- 1 pc. sandblaster head protection cover model S 6
- 5 m fresh air hose 9 mm c. w.



Tel: +4 0722 279 481 +4 0725 984 004 Email: comercialgritsablare@gmail.com Web: www.gritsablare.ro

Sustainable Solutions for Blasting & Cleaning

Dedicated Line for Professional Blasting Equipment

Section III. Blasting Usage















Section IV. Product Description

- Fully automatic remote control (dead man's handle) with manual-operated valve and control line, installed, for models of 60, 100, 140 and 200 litres capacity.
- Suitable for all common blast-media, mobile version, with one axis, two solid rubber wheels and a frame to relocate the system.
- The top side of the pressure pot works as a filling sinkhole
- Automatic filling valve
- Closable inspection plate
- Blast media volume adjustment-unit
- Pipes R 1 ¼"
- Pressured-air stop valve
- Pressured-air entry-coupling
- Air-taking device for protective hood
- Tank coupling R 1 ¼" to connect blast hose.

Section V. Air Consumption

Air consumption of the permanent blast nozzles with a blast pressure of 5 - 6 bar.

Blast Nozzle Compressed Air Capacity

4,0 mm	900 litres/min.
5,0 mm	1400 litres/min.
6,0 mm	2000 litres/min.
8,0 mm	4000 litres/min.

Section VI. Optional equipment

- Oil- and water separator with attached pressure reducing valve and manometer, installed and ready to
- Special sandblast pressure fan hose 25 mm i.W. (5 meters included in basic system) additional hose per meter.
- Finishing in texture paint. Custom-specific painting is available.



Tel: +4 0722 279 481 +4 0725 984 004 Email: comercialgritsablare@gmail.com Web: www.gritsablare.ro

Sustainable Solutions for Blasting & Cleaning

Dedicated Line for Professional Blasting Equipment

Disclaimer/Statement of Liability

The information in this MSDS was obtained from sources that are believed to be reliable; however, the information is provided without any representation or warranty, express or implied, regarding its accuracy or correctness. The conditions or methods of handling, storage, use, and disposal of this product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of, or in any way connected with, the handling, storage, use or disposal of this product.