

GritSablare Tel: +4 0722 279 481 +4 0725 984 004

Email: comercialgritsablare@gmail.com Web: www.gritsablare.ro

Professional Blasting Materials C



Material: BEARING ANGULAR STEEL GRIT MATERIAL SAFETY DATA SHEET

Section I. Identification of the Substance and of the Company

Product Name Distributor:

Bearing Angular Steel Grit

GritSablare	
Headquarter:	10 Eliza Zamfirescu Leonida Street, Bucharest
Storage & J	Constanța Seaport, Gate 2, SORENA Platform, 🧭 Constanța, Romania
Phone:	(+4) 0722.279.481
Email:	comercialgritsablare@gmail.com
Website:	www.gritsablare.ro

Section II. Physical and Chemical Properties

Sy Physical State	Graininess	
Appearance	Silver white	a fi the fit the
Odor de	None State	
Solubility in Water	Insoluble in Water	
Shape of the other	Angular	the states
Hardness	> 64 HRC (> 840 HV)	
Kicrostructure	Fine and Homogeneous Tempered Martensite, C	Level < 2
Density (g/cm³)	• ≥ 7.60 × 4 × 4	<u>, sta sta</u>
Chemical Composition	C (low level)	0.78% –1.00%
	Sia a	0.15% – 1.20%
The second secon	Mn Ne i e i e	0.20% - 1.20%
and the second sec	Č (* 1777) 1987 1987 1987 1987 1987 1987 1987 1987	0.60% - 1.60%
	S S S S	≤ 0.05%
General Constant Constant Constant	P State State State	≤ 0.05%



GritSablare Tel: +4 0722 279 481 +4 0725 984 004

Email: comercialgritsablare@gmail.com Web: www.gritsablare.ro

Professional Blasting Materials

Section III. Fire and Explosion Hazard Information

Uneasily be combustible in the air. And without explosion hazard.

Section IV. Stability and Reactivity

Chemical Stability

Stable

Conditions to Avoid

Contact with water.

Section V. Health Hazards Data

Potential Health Effects

Eye:

No hazard No hazard

No hazard

Section VI. First Aid Measures

No Hazard

Ingestion:

Section VII. Exposure Controls

Engineering Controls

Stable

Section VIII. Personal Protection

No Need

Section IX. Disposal Considerations

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series

None listed.

RCRA U-Series None listed.

Section X. Handling

Normal running.



Professional Blasting Materials

GritSablare Tel: +4 0722 279 481 +4 0725 984 004

Email: comercialgritsablare@gmail.com Web: www.gritsablare.ro

Section XI. Storage

The product must be kept dry.

Section XII. Transport Information

No information available.

Disclaimer/Statement of Liability

The information in this MSDS was obtained from sources that are believed to be reliable; however, the information is provided without any representation or warranty, express or implied, regarding its accuracy or correctness. The conditions or methods of handling, storage, use, and disposal of this product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of, or in any way connected with, the handling, storage, use or disposal of this product.